

Lindero Pump Station Rehabilitation (Project No. 592)

Errata to the Draft Initial Study – Mitigated Negative Declaration (IS-MND)

Final IS-MND

prepared by

Calleguas Municipal Water District

2100 Olsen Road

Thousand Oaks, California 91360

Contact: Jennifer Lancaster, Principal Resource Specialist

prepared with the assistance of

Rincon Consultants, Inc.

180 North Ashwood Avenue Ventura, California 93003

July 2022



Errata to the Draft IS-MND

The following pages provide a summary record of all proposed text amendments to the Draft Initial Study-Mitigated Negative Declaration (IS-MND). These amendments are the result of comments received during the public review period and directly respond to those comments or correct typographical errors within the Draft IS-MND. These amendments serve as clarifications and amplifications on the content of the Draft IS-MND. None of the changes warrant recirculation of the IS-MND pursuant to CEQA Guidelines Section 15088.5. The amendments serve to clarify and strengthen the content of the IS-MND, but do not introduce significant new information.

Changes in text are signified by strikeout (strikeout) where text is removed and with underline (underline) where text is added.

Page 22 – the following bullet was added to the list of "Applicable VCAPCD Rules and Regulations":

Rule 62.7 (Asbestos- Demolition and Renovation). This rule applies to operations involving disturbance to 100 or more square feet of asbestos-containing material (ACM) and requires notification to the APCD and use of emission control measures for ACM during demolition.

Pages 36-37 – the following minor revisions were incorporated into the text of Mitigation Measure BIO-3 to provide clarity regarding how to implement the measure:

BIO-3 Pre-Construction Nesting Bird Surveys

To avoid disturbance of nesting and special-status birds protected by the MBTA and CFGC, including raptors, project construction activities such as vegetation removal, ground disturbance, and construction and demolition shall occur outside of the bird breeding season (February 1 through August 31) to the extent feasible. If project construction activities commence during the breeding season for migratory birds (February 1 through August 31), a pre-construction nesting bird survey shall be conducted no more than seven days prior to initiation of construction activities, including demolition, ground disturbance and vegetation removal activities, and other ground disturbance. The nesting bird preconstruction survey shall be conducted one foot inside along the boundary of the project footprint, including plus a 100-foot buffer (300 feet for raptors). The survey shall be conducted by a biologist familiar with the identification of avian species known to occur in southern California coastal communities. If nests are found, an avoidance buffer (dependent upon the species, the proposed work activity, and existing disturbances associated with land uses outside of the site) shall be determined and demarcated by the biologist with flagging, construction lathe, or other means to mark the boundary. All construction personnel shall be notified as to the existence of the buffer zone and directed to avoid entering the buffer zone while the nest remains active. No ground-disturbing activities shall occur inside this buffer until the avian biologist has confirmed breeding/nesting is completed and the young have fledged the nest. Encroachment into the buffer shall occur only at the discretion of the qualified biologist, and any encroachment into the buffer zone will be monitored by the biologist for the duration of the activities within the buffer.

Lindero Pump Station Rehabilitation (Project No. 592)

If active nests of federally or state-listed species (e.g., least Bell's vireo, coastal California gnatcatcher) are detected during the survey, a 500-foot avoidance buffer from the nest shall be established and demarcated by the biologist with flagging, construction lathe, or other means to mark the boundary. If the 500-foot avoidance buffer is infeasible, then Calleguas' contractor(s) shall implement noise reduction measures, such as mufflers and temporary sound walls, that reduce construction noise levels to at or below 60 dBA Leq at the nest site. All construction personnel shall be notified as to the existence of the buffer zone and to avoid entering the buffer zone during the nesting season. No ground-disturbing activities shall occur inside this buffer until the avian biologist has confirmed breeding/nesting is completed and the young have fledged the nest, or noise levels remain at or below 60 dBA Leq at the nest site. Encroachment into the buffer shall occur only at the discretion of the qualified biologist, and any encroachment into the buffer zone shall be monitored by the biologist for the duration of the activities within the buffer.

Pages 49 – the title of Mitigation Measure CR-2 was revised for clarity as follows:

CR-2 <u>Monitor for and Treat Any Unanticipated Finds</u> of Archaeological Resources