

Notice of Determination

To: Office of Planning and Research
P.O. Box 3044, Room 212
Sacramento, CA 95812-3044

From: City of San Buenaventura
Ventura Water Department
336 Sanjon Road
Ventura, CA 93001

To: County Clerk-Recorder
County of Ventura Administration Building
800 South Victoria Avenue
Ventura, CA 93009-1260

SCH Number: 2018031010

SUBJECT: *Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.*

Project Title: City of Ventura State Water Interconnection Project

Project Applicant: City of San Buenaventura (City of Ventura)

Project Location: The pipeline would be approximately 7 miles in length originating in the easterly portion of the City of Ventura (Henderson Road between South Saticoy Avenue and South Wells Road) and traversing southerly and easterly through unincorporated Ventura County to the southwestern end of the City of Camarillo (near the intersection of Camino Tierra Santa and Via Zamora).

Project Description: The project would enable delivery of State Water Project (SWP) water by wheeling water through the Metropolitan Water District of Southern California (MWD) and Calleguas Municipal Water District (Calleguas) water systems to the City of Ventura. The pipeline facilities (the "interconnection") would also facilitate direct delivery of SWP water to United Water Conservation District (United) and direct or in-lieu delivery of SWP water to Casitas Municipal Water District (Casitas). In addition, the interconnection would allow the City to deliver water to Calleguas during an outage of Calleguas' imported water supplies. The interconnection would be a pipeline used to transport water between Calleguas' and the City's distribution systems.

This is to advise that the City of Ventura, Lead Agency, has approved the described project on August 5, 2019 and has made the following determinations regarding the above described project:

1. The project will not have a significant effect on the environment.
2. An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures were made a condition of the project.
4. A mitigation reporting and monitoring plan was adopted for this project.
5. A statement of Overriding Considerations was not adopted for the project.
6. Findings were made pursuant to the provisions of CEQA.

This is to certify that the final Environmental Impact Report with comments and responses and record of project approval is available to the General Public at:

City of Ventura, Ventura Water Department, 336 Sanjon Road, Ventura, CA 93001
Website: <https://ca-ventura.civicplus.com/1081/6635/Library-of-Reports>

Signature (Public Agency): 

Title: Asst. C.D. Director

Date: 8/6/19

Date Received for filing at OPR: _____

Authority cited: Sections 21083, Public Resources Code.
Reference Section 2100-21174, Public Resources Code.

POSTED
AUG 06 2019
MARK A. LUNN
Ventura County Clerk and Recorder
By: _____, Deputy

FILED
AUG 06 2019
DATE:
MARK A. LUNN
Ventura County Clerk and Recorder
By: Yvonne Cabral, Deputy