


Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

### Water Quality Is Our Top Priority

Water quality continues to be a priority for Calleguas Municipal Water District. Our mission since the 1950s has been to provide our service area with a reliable supply of high quality, imported drinking water. A team of highly trained professionals works hard to ensure Calleguas's water supply meets all state and federal water quality standards. This brochure provides information about the sources and quality of the water delivered by Calleguas to its purveyors in 2024. Included are details about where the water comes from, what it contains, and how it compares to state and federal standards. Since Calleguas is a wholesaler water system, these results are reflective of the water served to local purveyors. Purveyors may further blend or treat the water received from Calleguas; information on water served to homes and businesses are available in local retailer's Annual Water Quality Reports.

During the year, multiple tests for over 150 drinking water contaminants were performed on Calleguas's water supply to determine concentrations of mineral, physical, bacteriological, inorganic, organic, and radioactive constituents.





Calleguas relies on State Project Water for its primary drinking water supply; State Project Water is obtained from the Feather River Watershed, located in the northern Sierras, and conveyed through the State Water Project. The water quality tables in this report demonstrate this dependence by providing the percentage of each source used last year. Colorado River water serves as a secondary imported water supply source and is transported through Metropolitan Water District's Colorado River Aqueduct.

Metropolitan Water District of Southern California has completed a source water assessment of both the State Water Project and Colorado River supply. The State Water Project source is considered to be most vulnerable to urban and storm water runoff, wildlife, agriculture, recreation, and wastewater. The Colorado River source is considered to be most vulnerable to contamination from recreation, urban and stormwater runoff, increasing urbanization in the watershed, and wastewater. A copy of this assessment can be obtained by contacting Metropolitan at (800) 354-4420.

Originating in northern California, State Water Project deliveries are conveyed over 500 miles through a network of reservoirs, aqueducts, and pump stations. The State Water Project supply is filtered and disinfected at Metropolitan's Joseph Jensen Filtration Plant in Granada Hills.

Following treatment at the Jensen and Weymouth Plants, water is conveyed by pipeline through the San Fernando Valley to Calleguas's mile-long tunnel in the Santa Susana Mountains. Information on the quality of the treated water can be found on the attached water quality tables.

The water is then distributed by Calleguas and its purveyors to an estimated 650,000 Ventura County residents, representing 75% of the County's population. Surplus supplies of imported water are stored in Lake Bard, the District's surface water reservoir near the City of Thousand Oaks, and the Las Posas groundwater basin underlying the City of Moorpark and surrounding area. Through the Las Posas Aquifer Storage and Recovery (ASR) project, Calleguas stores water for use during both planned and emergency supply outages.


Visit calleguas.com for more information on the Las Posas ASR project and other Calleguas water supply reliability programs.

### General Information About Source Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water before we treat it include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, which can be naturallyoccurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- **Pesticides and herbicides**, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- *Radioactive contaminants*, which can be naturally-occurring or be the result of oil and gas production and mining activities.



### **Our Treated Water**

In order to ensure tap water is safe to drink, the USEPA and the State Division of Drinking (DDW) Water prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

These standards are achieved through vigilant watershed protection and treatment techniques used at Metropolitan's Jensen and Weymouth Plants, as well as Calleguas's Lake Bard Water Filtration Plant. A good indicator of the effectiveness of a filtration system is the measurement of turbidity, or the cloudiness of water. Lower turbidity values are indicative of proper filtration. Turbidity values are listed on the tables included in this report.







### **Water Quality Data**

The following tables list all the drinking water contaminants we detected during the 2024 calendar year. The presence of these contaminants in the water does not necessarily indicate the water poses a health risk. Unless otherwise noted, the data presented in these tables is from testing done January 1 through December 31, 2024. The DDW requires Calleguas to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of water quality, are more than one year old.

# CALLEGUAS MUNICIPAL WATER DISTRICT

### Summary of Water Quality Results for 2024

DISTRICT			Imported Sui Treated at Mo Jensen	etropolitan's	Locally Surface Treated by	Water		
	Percent	of Supply	989	%	29	%		
Parameter	MCL [MRDL]	PHG (MCLG) [MRDLG]	Average	Range	Average	Range	Major Sources in Drinking Water	
PRIMARY DRINKING WATER STA	NDARDS - M	andatory Hea	lth-Relate	d Standar	ds			
CLARITY (a)								
Turbidity (NTU) (TT)	Highest Single Value		0.04		0.14		Soil runoff	
	% of sample	es ≤ 0.3 NTU	100%		100	1%	Soli funoli	
MICROBIOLOGICAL								
Heterotrophic Plate Count Bacteria (CFU/mL) (b)	TT	n/a	System-wide: Average = ND, Range = ND - 2		ND - 2	Naturally present in the environment		
DISINFECTION BY-PRODUCTS AND DISINFE	CTANT RESIDUA	LS						
Bromate (ppb) (c)	10	0.1	3.1	ND - 5.4	ND	ND	By-product of drinking water ozonation	
Haloacetic Acids (ppb) (d)	60	n/a	System Wide: Highest LRAA = 12.0, Range = 6.0 - 22.0 By-product of drinking water disinfection		By-product of drinking water disinfection			
Total Chlorine Residual (ppm)	[4]	[4]	System Wide: Highest RAA = 2.3, Range = 1.7 - 2.8		= 1.7 - 2.8	Drinking water disinfectant added for treatment		
Total Trihalomethanes (ppb) (d)	80	n/a	System Wide: Highest LRAA = 21.8, Range = 13.0 - 36.0		= 13.0 - 36.0	By-product of drinking water disinfection		
INORGANIC CHEMICALS	,							
Aluminum (ppb)	1,000	600	62	52 - 91	ND	ND	Erosion of natural deposits, residual from water treatment process	
Arsenic (ppb)	10	0.004	ND	ND	3	2 - 4	Erosion of natural deposits; runoff from orchards	
Fluoride (ppm) (e)	2.0	1.0	System Wide: Highest RAA = 0.7, Range = 0.6 - 1.0			Water additive that promotes strong teeth		
Nitrate (as N) (ppm)	10	10	0.5	0.5	ND	ND	Runoff & leaching from fertilizer use; erosion of natural deposits	
Selenium (ppb)	50	30	ND	ND	ND	ND - 6	Erosion of natural deposits; discharge from refineries	
RADIOLOGICALS								
Gross Beta Particle Activity (pCi/L)	50	(0)	ND	ND	5.5	5.4 - 5.6	Decay of natural & man-made deposits	
Uranium (pCi/L)	20	0.43	2.0	2.0 - 3.0	1.5	1.4 - 1.5	Erosion of natural deposits	

#### ABBREVIATIONS, DEFINITIONS, and NOTES

CFU/mL = Colony forming units per milliliter LRAA = Locational running annual average n/a = Not applicable ND = None detected

NTU = Nephelometric turbidity units

ppb = Parts per billion, or micrograms per liter (ug/L)

ppm = Parts per million, or milligrams per liter (mg/L)

pCi/L = Picocuries per liter

RAA = Running annual average

**Maximum Contaminant Level (MCL)** = The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.

Maximum Contaminant Level Goal (MCLG) = The level of a contaminant in drinking water below which there is no

known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

**Maximum Residual Disinfectant Level (MRDL)** = The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial pathogens.

Maximum Residual Disinfectant Level Goal (MRDLG) = The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Public Health Goal (PHG)** = The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Primary Drinking Water Standard = MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Treatment Technique (TT) = A required process intended to reduce the level of a contaminant in drinking water.

(a) The turbidity level of filtered water shall be less than or equal to 0.3 NTU in 95% of the measurements taken each month and shall not exceed 1.0 NTU at any time.

(b) Calleguas monitors HPC bacteria in its distribution system to ensure treatment process efficacy.

(c) Compliance for treatment plants that use ozone is based on a running annual average of monthly samples.

(d) Compliance is based on the LRAA of data collected at distribution system-wide monitoring locations. The range of all samples collected is included

(e) The Metropolitan Water District (MWD) treats their water by adding fluoride to the naturally occurring level in order to help prevent dental caries in consumers. The fluoride levels in the treated water are maintained within a range of 0.6 - 1.2 ppm, as required by State Water Resources Control Board (SWRCB), Division of Drinking Water (DDW).

CALL	EGUAS

**Summary of Water Quality Results for 2024** 

MUNICIPAL WATER							
DISTRICT		Imported Surface Water Treated at Metropolitan's Jensen Plant		Locally Stored Surface Water Treated by Calleguas			
	Percent o	f Supply	98	%	2	%	
Parameter	Secondary MCL	Notification Level	Average	Range	Average	Range	Major Sources in Drinking Water
SECONDARY DRINKING	WATER STAN	DARDS – A	esthetic Star	ndards			
Aluminum (ppb) (a)	200		62	52 - 91	ND	ND	Erosion of natural deposits, residual from water treatment process
Chloride (ppm)	500		40	39 - 41	99	99 - 100	Runoff and leaching from natural deposits; seawater influence
Color (Units)	15		1	1	ND	ND	Naturally-occurring organic materials
Odor (TON Units)	3		1	1	ND	ND	Naturally-occurring organic materials
Specific Conductance (µS/cm)	1,600		510	498 - 522	782	773 - 790	Substances that form ions when in water, seawater influence
Sulfate (ppm)	500		90	89 - 92	103	102 - 103	Runoff and leaching from natural deposits
Total Dissolved Solids (ppm)	1,000		306	291 - 322	430	410 - 450	Runoff and leaching from natural deposits
Zinc (ppm)	5.0		ND	ND	0.06	0.06	Runoff/leaching from natural deposits
ADDITIONAL PARAMETE	RS (Unregula	ited)					
Alkalinity, total as CaCO <sub>3</sub> (ppm)	NS	NS	98	94 - 101	125	120 - 130	
Boron (ppm)	NS	1	0.17	0.17	0.28	0.27 - 0.28	
Calcium (ppm)	NS	NS	38	38 - 39	37	36 - 38	
Chlorate (ppb)	NS	NL = 800	71	71	ND	ND	
Corrosivity (AI) (b)	NS	NS	12.2	12.2	12.3	12.1 - 12.4	
Hardness (Total Hardness) (ppm)	NS	NS	148	143 - 153	163	160 - 165	
Magnesium (ppm)	NS	NS	14	13 - 14	17	17	
pH (pH Units)	NS	NS	8.3	8.2 - 8.3	8.2	8.1 - 8.3	
Potassium (ppm)	NS	NS	2.6	2.6	4.0	4.0	
Sodium (ppm)	NS	NS	46	46	89	86 - 91	
Total Organic Carbon (ppm)	NS	NS	2.4	2.0 - 2.5	2.7	2.6 - 2.8	

#### ABBREVIATIONS, DEFINITIONS, and NOTES

AI = Aggressive index

ND = None detected

NS = No standard

ppb = Parts per billion, or micrograms per liter ( $\mu g/L$ )

ppm = Parts per million, or milligrams per liter (mg/L)

μS/cm = Microsiemens per centimeter

**Secondary Maximum Contaminant Level (MCL)** = Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

**Notification Level** = The level at which notification of the public water system's governing body is required.

- (a) Aluminum has both primary and secondary standards. Compliance with the MCL is based on a running annual average.
- **(b)** Al measures the aggressiveness of water transported through pipes. Water with Al <10.0 is highly aggressive and would be very corrosive to almost all materials found in a typical water system. Al ≥ 12.0 indicates non-aggressive water. Al between 10.0 and 11.9 indicates moderately aggressive water.

### Information for Customers with Special Water Needs


Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the USEPA Hotline (1-800-426-4791).



### **Constituents Tested for and Not Detected**

n addition to the information provided in the Summary of Water Quality Results, Calleguas also monitored for, but did not detect, many other contaminants during 2024. Some of those contaminants were:

	3		
Antimony	Cyanide	Nitrite	Strontium-90
Asbestos	Foaming Agents	Perchlorate	Thallium
Beryllium	Herbicides	Pesticides	<b>Total Chromium</b>
Cadmium	Lead	Radium 226	Tritium
Chromium 6	Mercury	Radium 228	Volatile Organic
Copper	MTBE	Silver	Chemicals (VOC



## Information on Lead in Household Plumbing

f present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local utility is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. For information on lead in drinking water, testing methods, and ways to reduce exposure, contact the USEPA Hotline (1-800-426-4791) or visit the website (epa.gov/safewater/lead).

### **Drinking Water Fluoridation**

In 2007, Calleguas's wholesale water provider, Metropolitan Water District of Southern California, joined a majority of the nation's public water suppliers in systematically adding fluoride to drinking water at each of their five water treatment plants in order to help prevent tooth decay.

In line with recommendations from the State Division of Drinking Water, as well as the U.S. Centers for Disease Control and Prevention, Metropolitan adjusted the natural fluoride level in the water, which ranges from 0.1 to 0.4 parts per million, to the optimal range for dental health of 0.7 parts per million. Fluoride levels in drinking water are limited under California state regulations at a maximum dosage of 2 parts per million.

Fluoride has been added to U.S. drinking water supplies since 1945.

For more information about the benefits of drinking water fluoridation, please visit the following websites: The American Dental Association at ada.org/resources/community-initiatives/fluoride-in-water and U.S. Centers for Disease Control and Prevention at cdc.gov/fluoridation

### Information on Radon

Water suppliers are required to provide information on the presence of radon in water sources. A known human carcinogen, radon is a radioactive gas that one cannot see, taste, or smell. Commonly found in soils throughout the United States, breathing air containing radon may lead to lung cancer. Drinking water containing radon may also cause increased risk of stomach cancer. Radon can seep up through the ground and into homes and other structures through cracks and holes in foundations. Over time, concentrations of the gas can increase to high levels potentially exposing inhabitants to greater health risks. It is possible radon can also be released from tap water when used for showering, washing dishes, and other household activities. However, the concentration of radon released through tap water is in most cases assumed to be considerably lower than concentrations entering a home from underlying ground. If you are concerned about radon, you are advised to test the air in your home. Testing is inexpensive and easy. The USEPA recommends taking measures to reduce radon levels in your home if concentrations are 4 PicoCuries per liter of air (pCi/L) or higher. For additional information, call your state radon program (1-800-745-7236), the USEPA Hotline at (1-800-426-4791), or call the National Safe Council Radon Hotline (1-800-SOS-RADON).

### **Water Use Efficiency**

Calleguas makes water use efficiency a priority and has long offered rebate programs for water use efficiency devices. Over the years, water saving technologies have advanced in both quality and effectiveness and these advancements have increased the number of rebate offerings.

#### **Resource Links for Water Use Efficiency**

Calleguas's Landscape is Change Program: landscapeischange.com
Ventura County Water Wise Gardening: venturacountygardening.com
Regional Water Use Efficiency Program: bewaterwise.com
Rebates (SoCal WaterSmart): socalwatersmart.com
Education: mwdh2o.com/education-landing-page
Gardening Classes: bewaterwise.com/classes

California Native Plant Society: cnps.org

### More Information on Water Quality

**Calleguas Municipal Water District** 

2100 Olsen Road • Thousand Oaks, CA 91360 (805) 526-9323 calleguas.com

Metropolitan Water District of Southern California

Public Affairs • P.O. Box 54153 • Los Angeles, CA 90054 (800) CALL MWD mwdh2o.com

#### State Water Resources Control Board

Division of Drinking Water • 601 North 7th Street • Sacramento, CA 94234 waterboards.ca.gov/drinking\_water/programs

U.S. Environmental Protection Agency (WH-550)
Office of Ground Water & Drinking Water

401 M. Street, S.W. • Washington, D.C. 20460 Safe Drinking Water Hotline (800) 426-4791 water.epa.gov/ground-water-and-drinking-water

The Calleguas Municipal Water District Board of Directors meets on the first and third Wednesday of each month at 4:00 pm. The public is welcome to attend. See calleguas.com/about-us/agendas-minutes for upcoming meeting agendas and details on participation.

